

# Variational Auto-Encoder & Normalizing Flows

S. Lebedev, E. Tuzova


December 5, 2015



What are the underlying **hidden** factors in these two datasets?

---

<sup>1</sup>Slide credit: G. Hinton, CSC2515, «Continuous Latent Variable Models».



$x$  – observed variables

$z$  – **continuous** latent variables

$\theta$  – model parameters

$$p(x, z | \theta) = p(x | z, \theta) p(z | \theta)$$

- Goal: fast approximate posterior inference for the latent variables in the “real-world” scenario.
- Specifically when
  - non-conjugate distributions are involved,
  - so the evidence and posterior for latent variables are both **intractable**.
  - Mean-field VB is **not applicable** because the integrals required are intractable as well.

# What are the options?

---

- MCMC
  - slow for large-scale problems,
  - diagnosing convergence is an issue.
- MAP
  - easy to overfit the data,
  - especially in the case of high-dimensional  $z$ .
- VB
  - mean-field cannot be applied directly,
  - but still a good idea,
  - maybe.

tl;dr reduce inference problem to stochastic optimization.

1. Approximate the posterior with a neural net  $q(z|x, \phi)$ , where  $\phi$  – variational parameters.
2. Lower bound the evidence using  $q(z|x, \phi)$ .
3. Construct an estimator of the ELBO which can be optimized jointly w.r.t.  $\phi$  and  $\theta$ .
4. Use stochastic gradient ascent to optimize the estimator.
5. Profit.

Having  $q(z|x, \phi)$  we can deconstruct the evidence into

$$\begin{aligned}\log p(x|\theta) &= \log \int p(x, z|\theta) dz = \log \int q(z|x, \phi) \frac{p(x, z|\theta)}{q(z|x, \phi)} dz \\ &= \mathbb{D}_{KL} [q(z|x, \phi) \parallel p(z|x, \theta)] + \mathcal{L}(\theta, \phi; x) \\ &\geq \mathcal{L}(\theta, \phi; x)\end{aligned}$$

where the lower bound is given by

$$\begin{aligned}\mathcal{L}(\theta, \phi; x) &= \mathbb{E}_{q(z|x, \phi)} [\log p(x, z|\theta) - \log q(z|x, \phi)] \\ &= \mathbb{E}_{q(z|x, \phi)} [\log p(x|z, \theta)] - \mathbb{D}_{KL} [q(z|x, \phi) \parallel p(z|\theta)]\end{aligned}$$

- Want to optimize the lower bound w.r.t **both**  $\theta$  and  $\phi$ .
- Just-do-it approach:

$$\begin{aligned}\nabla_{\theta} \mathcal{L}(\theta, \phi; \mathbf{x}) &= \nabla_{\theta} \mathbb{E}_{q(z|\mathbf{x}, \phi)} [\log p(\mathbf{x}, z|\theta) - \log q(z|\mathbf{x}, \phi)] \\ &= \mathbb{E}_{q(z|\mathbf{x}, \phi)} [\nabla_{\theta} \log p(\mathbf{x}, z|\theta)] \\ &\approx \frac{1}{S} \sum_{s=1}^S \nabla_{\theta} \log p(\mathbf{x}, z^{(s)}|\theta)\end{aligned}$$

$$\nabla_{\phi} \mathcal{L}(\theta, \phi; \mathbf{x}) = \nabla_{\phi} \mathbb{E}_{q(z|\mathbf{x}, \phi)} [\log p(\mathbf{x}, z|\theta) - \log q(z|\mathbf{x}, \phi)]$$

- How to deal with gradients of the form  $\nabla_{\phi} \mathbb{E}_{q(z|\phi)} [f(z)]?$

# Naïve MCMC estimator of $\nabla_{\phi} \mathbb{E}_{q(z|\phi)} [f(z)]$

---

$$\begin{aligned}\nabla_{\phi} \mathbb{E}_{q(z|\phi)} [f(z)] &= \nabla_{\phi} \int q(z|\phi) f(z) dz = \int f(z) \nabla_{\phi} q(z|\phi) dz \\ &= \int f(z) q(z|\phi) \nabla_{\phi} \log q(z|\phi) dz\end{aligned}$$

where the last line is due to the **log derivative trick**<sup>2</sup>

$$\nabla_{\phi} \log q(z|x, \phi) = \frac{\nabla_{\phi} q(z|x, \phi)}{q(z|x, \phi)}$$

Proceeding further we obtain

$$\begin{aligned}\nabla_{\phi} \mathbb{E}_{q(z|\phi)} [f(z)] &= \mathbb{E}_{q(z|x, \phi)} [f(z) \nabla_{\phi} \log q(z|\phi)] \\ &\approx \frac{1}{S} \sum_{s=1}^S f(z^{(s)}) \nabla_{\phi} \log q(z^{(s)}|\phi) \rightarrow :(\end{aligned}$$

---

<sup>2</sup><http://blog.shakirm.com/2015/11/machine-learning-trick-of-the-day-5-log-derivative-trick>



- Introduce an auxiliary noise variable  $\epsilon$  **independent** of  $\phi$ .
- Express  $z$  as a **deterministic** transformation of  $\epsilon$  **differentiable** w.r.t.  $\phi$

$$z = g(\epsilon, \mathbf{x}; \phi) \quad \epsilon \sim p(\epsilon)$$

- Example: let  $q(z|\phi) = \mathcal{N}(z|\mu, \sigma^2)$  and  $\phi = (\mu, \sigma^2)$  then

$$\begin{aligned} \nabla_{\phi} \mathbb{E}_{q(z|\phi)} [f(z)] &= \mathbb{E}_{\mathcal{N}(\epsilon|0,1)} [\nabla_{\phi} f(\mu + \sigma\epsilon)] \\ &\approx \frac{1}{S} \sum_{s=1}^S \nabla_{\phi} f(\mu + \sigma\epsilon^{(s)}) \end{aligned}$$

where  $z = \mu + \sigma\epsilon$  and  $\epsilon \sim \mathcal{N}(0, 1)$ .

---

<sup>3</sup><http://blog.shakirm.com/2015/10/machine-learning-trick-of-the-day-4-reparameterisation-tricks>

- In general

$$\begin{aligned}\mathcal{L}(\theta, \phi; \mathbf{x}) &= \mathbb{E}_{q(z|\mathbf{x}, \phi)} [\log p(\mathbf{x}, z|\theta) - \log q(z|\mathbf{x}, \phi)] \\ &\approx \frac{1}{S} \sum_{s=1}^S \log p(\mathbf{x}, z^{(s)}|\theta) - \log q(z^{(s)}|\mathbf{x}, \phi) \\ &\triangleq \tilde{\mathcal{L}}(\theta, \phi; \mathbf{x}, z)\end{aligned}$$

where  $z^{(s)} = g(\epsilon^{(s)}, \mathbf{x}; \phi)$  and  $\epsilon^{(s)} \sim p(\epsilon)$ .

- If  $\mathbb{D}_{KL} [q(z|\mathbf{x}, \phi) \parallel p(z|\theta)]$  is tractable

$$\begin{aligned}\mathcal{L}(\theta, \phi; \mathbf{x}) &= \mathbb{E}_{q(z|\mathbf{x}, \phi)} [\log p(\mathbf{x}|z, \theta)] - \mathbb{D}_{KL} [q(z|\mathbf{x}, \phi) \parallel p(z|\theta)] \\ &\approx \frac{1}{S} \sum_{s=1}^S \log p(\mathbf{x}|z^{(s)}, \theta) - \mathbb{D}_{KL} [q(z|\mathbf{x}, \phi) \parallel p(z|\theta)] \\ &\triangleq \tilde{\mathcal{L}}(\theta, \phi; \mathbf{x}, z)\end{aligned}$$

# AEVB algorithm [Kingma and Welling, 2013]

---

$\alpha \leftarrow$  set learning rate

$\theta, \phi \leftarrow$  initialize parameters

**repeat**

$x \leftarrow$  random datapoint or minibatch

$\epsilon \leftarrow$  random samples from  $p(\epsilon)$

$z \leftarrow g(\epsilon, x; \phi)$

$g_\theta, g_\phi \leftarrow \nabla_{\phi, \theta} \tilde{\mathcal{L}}(\theta, \phi; x, z)$


$\theta \leftarrow \theta + \alpha g_\theta$

$\phi \leftarrow \phi + \alpha g_\phi$

**until** convergence

**return**  $\theta, \phi$

# Variational auto-encoder




$$p(z|\theta) = \mathcal{N}(z|0, \mathbf{I})$$

$$p(x|z, \theta) = \mathcal{N}(x|\mu(z), \sigma^2(z)\mathbf{I})$$

$$q(z|x, \phi) = \mathcal{N}(z|M(x), S^2(x)\mathbf{I})$$

- The parameters  $M(x)$  and  $S^2(x)$  are computed by a neural net, which assigns each value of  $x$  a **distribution** over  $z$ .
- The parameters  $\mu(z)$  and  $\sigma^2(z)$  are computed by a **different** neural net, mapping  $z$  to a distribution over  $x$ .



$$\mathcal{L}(\theta, \phi; \mathbf{x}) = \underbrace{\mathbb{E}_{q(z|x, \phi)} [\log p(\mathbf{x}|z, \theta)]}_{\text{negative reconstruction error}} - \underbrace{\mathbb{D}_{KL} [q(z|x, \phi) \parallel p(z|\theta)]}_{\text{regularizer}}$$

# Experiments: Frey faces


---




(a) Learned data manifold



(b) Random samples



(a) Learned data manifold



(b) Random samples

What is wrong with VAE?



We want to specify a **complex** joint distribution over  $z$ .

$z$  – random variable with distribution  $q(z)$

$f$  – invertible parametric function

Transformation of random variables:  $\tilde{z} = f(z)$ ,  $f^{-1}(\tilde{z}) = z$

$$q(\tilde{z}) = q(f^{-1}(\tilde{z})) \left| \det \frac{\partial f^{-1}(\tilde{z})}{\partial \tilde{z}} \right| = q(z) \left| \det \frac{\partial f(z)}{\partial z} \right|^{-1}$$

Chaining together a sequence:  $z_K = f_K(f_{K-1}(\dots f_2(f_1(z_0))))$

$$\log q_K(z_K) = \log q_0(z_0) - \sum_{k=1}^K \log \left| \det \frac{\partial f_k}{\partial z_k} \right|$$

Law of the unconscious statistician:


$$\mathbb{E}_{q_K} [g(z_K)] = \mathbb{E}_{q_0} [g(f_K(f_{K-1}(\dots f_2(f_1(z_0)))))]$$

Family of transformations:  $f(z) = z + uh(w^T z + b)$

$$\left| \det \frac{\partial f(z)}{\partial z} \right| = \left| 1 + u^T \psi(z) \right| \quad \text{where} \quad \psi(z) = h'(w^T z + b)w$$

$$\log q_K(z_K) = \log q_0(z_0) - \sum_{k=1}^K \log \left| 1 + u^T \psi(z) \right|$$


Chaining transformations gives us a rich family of densities.



Family of transformations:  $f(z) = z + \beta h(\alpha, r)(z - z_0)$   
 $r = |z - z_0|, \quad h(\alpha, r) = \frac{1}{\alpha + r}$

$$\left| \det \frac{\partial f}{\partial z} \right| = [1 + \beta h(\alpha, r)]^{(d-1)} [1 + \beta h(\alpha, r) + h'(\alpha, r)r]$$

Chaining transformations gives us a rich family of densities.



# Representative power of normalizing flows

---

- Choose a non-trivial density  $p(z) \propto \exp[-U(z)]$ .
- Example:


$$U(z) = \frac{1}{2} \left( \frac{z_2 - w_1(z)}{0.4} \right)^2 \quad w_1(z) = \sin \frac{2\pi z_1}{4}$$

- Approximate the density with a flow by optimizing


$$\begin{aligned} \mathbb{D}_{KL} [q(z_K) \parallel p(z)] &= \int q(z_K) \log \frac{q(z_K)}{p(z)} dz_K \\ &= \mathbb{E}_{q(z_K)} [\log q(z_K) - (-U(z) + \text{const}(z_K))] \\ &\approx \frac{1}{S} \sum_{s=1}^S (\log q(z_K) + U(z)) + \text{const}(z_K) \end{aligned}$$

# Representative power of **planar** flows

---



# VAE and normalizing flows



# ELBO with planar normalizing flow

---

$$\begin{aligned}\mathcal{L}(\theta, \phi, \mathbf{x}) &= \mathbb{E}_{q(z|\mathbf{x}, \phi)} [\log p(\mathbf{x}, z|\theta) - \log q(z|\mathbf{x}, \phi)] \\ &= \mathbb{E}_{q_K(z_K|\theta)} [\log p(\mathbf{x}, z_K|\theta) - \log q(z_K|\phi)] \\ &= \mathbb{E}_{q_0(z_0|\mathbf{x}, \phi)} \left[ \log p(\mathbf{x}, z_K|\theta) - \log q_0(z_0|\mathbf{x}, \phi) \right. \\ &\quad \left. + \sum_{k=1}^K \log \left| \det \frac{\partial f_k}{\partial z_k} \right| \right]\end{aligned}$$



# NFVB algorithm [Rezende and Mohamed, 2015]

---

$\alpha \leftarrow$  set learning rate

$\theta, \phi \leftarrow$  initialize parameters

**repeat**

$x \leftarrow$  random datapoint or minibatch

$\epsilon \leftarrow$  random samples from  $p(\epsilon)$

$z_0 \leftarrow g(\epsilon, x; \phi)$

$z_K \leftarrow f_K(f_{K-1}(\dots f_1(z_0)))$

$g_\theta, g_\phi \leftarrow \nabla_{\phi, \theta} \tilde{\mathcal{L}}(\theta, \phi; x, z_K)$

$\theta \leftarrow \theta + \alpha g_\theta$

$\phi \leftarrow \phi + \alpha g_\phi$

**until** convergence

**return**  $\theta, \phi$

## Experiments: Frey faces ( $K = 2$ )

---



(a) Learned data manifold



(b) Random samples

# Experiments: Frey faces ( $K = 8$ )

---



(a) Learned data manifold



(b) Random samples

# Experiments: Frey faces ( $K = 16$ )

---




(a) Learned data manifold




(b) Random samples

<b>Model</b>	<b>ELBO</b>
VAE	519.72
NF ( $K = 2$ )	331.27
NF ( $K = 8$ )	410.03
NF ( $K = 16$ )	415.49

# Experiments: MNIST ( $K = 2$ )





(a) Learned data manifold



(b) Random samples

- Investigate the effect of latent variable prior  $p(z)$  and approximate posterior  $q(z_K|x, \phi)$  on model performance.
- Try more complex prior distributions for the case when domain-specific knowledge is available, e.g. the data is multimodal.
- Apply normalizing flows to the problem of semi-supervised learning with generative models.

-  Kingma, D. P. and Welling, M. (2013).  
Auto-encoding variational bayes.  
*arXiv preprint arXiv:1312.6114.*
-  Rezende, D. J. and Mohamed, S. (2015).  
Variational inference with normalizing flows.  
*arXiv preprint arXiv:1505.05770.*